


#### 1) Algemeen

Het montuur: Polypropyleen  
Monolame: SEBS

#### 2) Kleuren, referenties en gewicht

maten	wit	groen	blauw	rood	geel	gewicht (kg)
30cm	100356	100363	100370	100387	100394	0.165
50cm	100554	100561	100578	100585	100592	0.220
60cm	100653	100660	100677	100684	100691	0.315
70cm	100752	100769	100776	100783	100790	0.350



#### 3) Technische specificaties

Steriliseerbaar tot 134°C.

Advies voor gebruik : Het is aanbevolen om onze monolame vloerwissers te steriliseren voor gebruik - sterilisatie tot 134 °C.

#### Voedingssector

Onze MONOLAME vloerwissers voldoen aan de huidige HACCP normen.

Onze volledige kleurgecodeerde lijn (wit-rood-blauw-groen-geel) helpt de kwaliteitsmanagers om kruisbesmettingen tijdens de productie te voorkomen.

#### Toebehoren

Onze MONOLAME vloerwissers zijn geschikt om samen gebruikt te worden met onze borstelstelen.



# Technische fiche

## **MONOLAME**

### Fijne draad

### Full color

#### 4) Verpakking:

Artikel	EAN artikel	EAN doos	Afm. doos (cm)	St/ doos	Lagen / Europallet	Dozen / EUR pal
100356	5410616100356	15410616100353	33x30x14	6	54	648
100363	5410616100363	15410616100360	33x30x14	6	54	648
100370	5410616100370	15410616100377	33x30x14	6	54	648
100387	5410616100387	15410616100384	33x30x14	6	54	648
100394	5410616100394	15410616100391	33x30x14	6	54	648
100554	5410616100554	15410616100551	44x25x12	6	48	720
100561	5410616100561	15410616100568	44x25x12	6	48	720
100578	5410616100578	15410616100575	44x25x12	6	48	720
100585	5410616100585	15410616100582	44x25x12	6	48	720
100592	5410616100592	15410616100599	44x25x12	6	48	720
100653	5410616100653	15410616100650	64x26x12	6	36	540
100660	5410616100660	15410616100667	64x26x12	6	36	540
100677	5410616100677	15410616100674	64x26x12	6	36	540
100684	5410616100684	15410616100681	64x26x12	6	36	540
100691	5410616100691	15410616100698	64x26x12	6	36	540
100752	5410616100752	15410616100758	74x26x12	6	36	540
100769	5410616100769	15410616100766	74x26x12	6	36	540
100776	5410616100776	15410616100773	74x26x12	6	36	540
100783	5410616100783	15410616100780	74x26x12	6	36	540
100790	5410616100790	15410616100797	74x26x12	6	36	540

Goederen-code: 96039091

(Deze informatie kan evolueren in de tijd, en is informatief, zonder contractuele waarde).



**Chemical resistance of general Cawiton® SBS and SEBS grades**

Acetic acid, 5 %	S
Acetone	U
Ammonia	S
Bleach	L
Butter	L
Cola beverage	S
Detergent, 30 %	S
Ethyl acetate	U
Ethylalcohol, diluted	S
Ethylalcohol, 96 %	L
Gasoline	U
Hydrochloric acid, 3 N	S
Hydrogen peroxide, 6 %	S
Mayonaise	L
Ketchup	S
Hand lotion	S
Methylalcohol	L
Milk	E
Mineral oil	L
Nitric acid, 3 N	S
Orange juice	S
Salad oil	L
Sodium hydroxide, 3 N	S
Sulfuric acid	S
Terpentine	U
Toluene	U
Water	E

E = Excellent  
S = Satisfactory  
L = Limited  
U = Unsatisfactory

#### Chemical resistance of Cawiton compounds

1 Acetaldehyde	R	73 Ethyl bromide	R	145 Oils vegetable	T
2 Acetates (low mol wt)	R	74 Ethyl chloride	R	146 Oleic acid	R
3 Acetic acid (less then 5%)	R	75 Ethylamine	R	147 Oxalic acid	R
4 Acetic acid (more then 5%)	R	76 Ethylene chlorohydrin	R	148 Oxygen (gas)	R
5 Acetic anhydride	T	77 Ethylene dichloride	R	149 Ozone	R
6 Aceto nitrile	R	78 Ethylene glycol	T	150 Perchloric acid	R
7 Acetone	T	79 Ethylene oxide	R	151 Perchloroethylene	T
8 Acetyl bromide	R	80 Fatty acids	T	152 Phenol	N
9 Acetyl chloride	R	81 Ferric chloride	R	153 Phosphoric acid (ortho)	R
10 Air	R	82 Ferric sulfate	R	154 Phthalic acid	N
11 Alcohols	T	83 Ferrous chloride	R	155 Plating solutions	R
12 Aliphatic hydrocarbons (C4 and higher)	N	84 Ferrous sulfate	R	156 Polyglycol	T
13 Aluminium chloride	R	85 Fluoborate salts	R	157 Potassium carbonate	R
14 Aluminium sulphate	R	86 Fluoboric acid	R	158 Potassium chlorate	R
15 Alums	R	87 Fluo-silicic acid	R	159 Potassium hydroxide (med.conc.)	R
16 Ammonia (gas, liquid)	R	88 Formaldehyde	R	160 Potassium hydroxide (conc.)	R
17 Ammonium acetate	R	89 Formic acid	R	161 Potassium iodide	R
18 Ammonium carbonate	R	90 Freon	T	162 Propinal Adehyde	R
19 Ammonium chloride	R	91 Gasoline (non-aromatic)	N	163 Pyridine	R
20 Ammonium hydroxide	R	92 Gasoline (high-aromaticity)	N	164 Sea water	R
21 Ammonium nitrate	R	93 Glucose (dextrose)	R	165 Silicone fluids	R
22 Ammonium phosphate	R	94 Glue (water base)	R	166 Silicone oil	R
23 Ammonium sulfate	R	95 Glycerine	T	167 Silver nitrate	R
24 Amyl acetate	N	96 Grease	T	168 Skydrol	N
25 Amyl alcohol	N	97 Hydriodic acid	R	169 Soap solutions	R
26 Amyl chloride	N	98 Hydro bromic acid	R	170 Sodium bicarbonate	R
27 Aniline	T	99 Hydrochloric acid	R	171 Sodium bisulfate	R
28 Aniline hydrochloride	T	100 Hydrochloric acid (med.conc.)	R	172 Sodium bisulfite	R
29 Antimony salts	R	101 Hydrochloric acid (conc.)	R	173 Sodium borate	R
30 Aqua regia (75% HC1 25% HNO <sup>3</sup> )	R	102 Hydrocyanic acid	R	174 Sodium carbonate	R
31 Aromatic hydrocarbons	N	103 Hydrofluoric acid	R	175 Sodium chlorate	R
32 Arsenic salts	R	104 Hydrogen peroxide (dil.)	R	176 Sodium chloride	R
33 Barium salts	R	105 Hydrogen peroxide (conc.)	R	177 Sodium terrocyanide	R
34 Benzaldehyde	N	106 Hydrogen sulfide	T	178 Sodium hydrosulfite	R
35 Benzene	N	107 Hypochlorous acid	R	179 Sodium hydroxide (dil.)	R
36 Benzene sulfonic acid	R	108 Iodine and solutions	T	180 Sodium hydroxide (med.conc.)	R
37 Benzoic acid	N	109 Iron salts	R	181 Sodium hydroxide (conc.)	R
38 Benzyl alcohol	N	110 Isopropanol (IPA)	R	182 Sodium hypochlorite (below 5%)	R
39 Bleaching liquors (non aromatic)	R	111 Kerosene	N	183 Sodium hypochlorite (above 5%)	R
40 Boric acid	R	112 Ketones (water soluble)	R	184 Sodium nitrate	R
41 Bromine	R	113 Lactic acids	R	185 Sodium silicate	R
42 Break fluid	R	114 Laquer solvents	N	186 Sodium sulfide	R
43 Butane	N	115 Lactic acids	R	187 Sodium sulfite	R
44 Butyl acetate	N	116 Lead Acetate	R	188 Steam (up to 40 psi)	T
45 Buryl alcohol (Butanol)	T	117 Linseed Oil	N	189 Stearic acid	R
46 Butyric acid	R	118 Lithium hydroxide	R	190 Styrene	N
47 Calcium oxide (diluted)	R	119 Magnesium chloride	R	191 Sulfur chloride	R
48 Calcium salts	R	120 Magnesium sulfate	R	192 Sulfur dioxide	R
49 Carbon (di)sulfide	N	121 Malic acid	R	193 Sulfuric hezafluoride	R
50 Carbon dioxide	R	122 Manganese salts	R	194 Sulfuric trioxide	R
51 Carbon tetrachloride	T	123 Mercury salts	R	195 Sulfuric acid (dil.)	R
52 Chloracetic acid	R	124 Methane	N	196 Sulfuric acid (med.conc.)	R
53 Chlorine (wet)	R	125 Methanol (<40%)	R	197 Sulfuric acid (conc.)	R
54 Chlorine (dry)	R	126 Methanol (>40%)	T	198 Sulfurous acid	R
55 Chlorobenzene	N	127 Methyl chloride	R	199 Swimming pool water	R
56 Chlorobromomethane	N	128 Methyl-ethyl-ketone (MEK)	R	200 Tannic acid	R
57 Chloroform	N	129 Methylen chloride	R	201 Tanning extracts	R
58 Chlorosulfonic acid	R	130 Milk	R	202 Tataric acid	R
59 Chromic acid	R	131 Mixes acid (40% sulphuric 15% nitric)	R	203 Tin salts	R
60 Chromium salts	R	132 Molybdenum disulfide	R	204 Titanium salts	R
61 Citric Acid	R	133 Monoethanolamine	T	205 Toluene (toluol)	N
62 coolant	R	134 Naphtha	N	206 Trichloroacetic acid	R
63 Copper salts	R	135 Natural gas	N	207 Trichloroethylene	N
64 Cresol	N	136 Nickel salts	R	208 Tri-sodium	R
65 Cyclohexane	N	137 Nitric acid (diluted)	R	209 Turpentine	N
66 Cyclohexanone	N	138 Nitric acid (med. Conc.)	R	210 Urea	R
67 Diacetone alcohol	R	139 Nitric acid (conc.)	R	211 Uric Acid	R
68 Dimethyl formamide	R	140 Nitrobenzene	N	212 Vinyl plastisol	N
69 Essential oils	R	141 Nitrogen oxides	R	213 Water	R
70 Ethers	N	142 Nitrous acid	R	214 Water (brine)	R
71 Ethyl acetate	R	143 Oils animal	T	215 Xylene (Xylol)	N
72 Ethyl alcohol (Ethanol)	T	144 Oils mineral	T	216 Zinc chloride	R

R: resistant

N: not resistant

T: testing recommended before use

